

# American Journal of Physiology: Renal Physiology

No. 1. JANUARY 1998

## INVITED REVIEW

Molecular structure and assembly of the tight junction <i>B. M. Denker and S. K. Nigam</i>	F1
<hr/>	
Young SHR express increased type 1 angiotensin II receptors in renal proximal tubule <i>H.-F. Cheng, J.-L. Wang, G. P. Vinson, and R. C. Harris</i>	F10
Evidence suggesting that nitric oxide mediates iron-induced toxicity in cultured proximal tubule cells <i>L. Chen, B.-H. Zhang, and D. C. H. Harris</i>	F18
Distinct localization of renin and GLUT-4 in juxtaglomerular cells of mouse kidney <i>T. J. Anderson, S. Martin, J. L. Berka, D. E. James, J. W. Slot, and J. L. Stow</i>	F26
Reconstitution of water channel function of aquaporins 1 and 2 by expression in yeast secretory vesicles <i>L. A. Coury, J. C. Mathai, G. V. Ramesh Prasad, J. L. Brodsky, P. Agre, and M. L. Zeidel</i>	F34
Renal growth and development in mice lacking AT <sub>1A</sub> receptors for angiotensin II <i>M. I. Oliverio, K. Madsen, C. F. Best, M. Ito, N. Maeda, O. Smithies, and T. M. Coffman</i>	F43
Characterization of binding sites for amylin, calcitonin, and CGRP in primate kidney <i>S. Y. Chai, G. Christopoulos, M. E. Cooper, and P. M. Sexton</i>	F51
Effect of BNP on renal hemodynamics, tubular function and vasoactive hormones in humans <i>K. T. Jensen, J. Carstens, and E. B. Pedersen</i>	F63
Urea activates ribosomal S6 kinase (RSK) in a MEK-dependent fashion in renal mIMCD3 cells <i>Z. Zhang and D. M. Cohen</i>	F73
Role of AT <sub>1</sub> angiotensin II receptors in renal ischemic injury <i>J. Kontogiannis and K. D. Burns</i>	F79
Expression and localization of epithelial sodium channel in mammalian urinary bladder <i>P. R. Smith, S. A. Mackler, P. C. Weiser, D. R. Brooker, Y. J. Ahn, B. J. Harte, K. A. McNulty, and T. R. Kleyman</i>	F91
Dietary acid increases blood and renal cortical acid content in rats <i>D. E. Wesson</i>	F97
Mechanism and regulation of riboflavin uptake by human renal proximal tubule epithelial cell line HK-2 <i>C. K. Kumar, N. Yanagawa, A. Ortiz, and H. M. Said</i>	F104
Contrasting endocrine responses to acute oral compared with intravenous sodium loading in normal humans <i>D. R. J. Singer, N. D. Markandu, M. G. Buckley, M. A. Miller, G. A. Sagnella, and G. A. MacGregor</i>	F111
Effects of insulin-like growth factor I on the renal juxtamedullary microvasculature <i>B. Tönshoff, F. J. Kaskel, and L. C. Moore</i>	F120
Distribution of epithelial ankyrin (Ank3) spliceoforms in renal proximal and distal tubules <i>R. B. Doctor, J. Chen, L. L. Peters, S. E. Lux, and L. J. Mandel</i>	F129
HCO <sub>3</sub> <sup>-</sup> absorption in rabbit outer medullary collecting duct: role of luminal carbonic anhydrase <i>S. Tsuruoka and G. J. Schwartz</i>	F139
Angiotensin II induces TNF production by the thick ascending limb: functional implications <i>N. R. Ferreri, B. A. Escalante, Y. Zhao, S. An, and J. C. McGiff</i>	F148

Protein kinase C regulation of organic anion transport in renal proximal tubule <i>D. S. Miller</i>	F156
Effect of $\alpha$ -ketoglutarate on organic anion transport in single rabbit renal proximal tubules <i>J. R. Welborn, S. Shpun, W. H. Dantzler, and S. H. Wright</i>	F165
Role of the NH <sub>2</sub> terminus of the cloned renal K <sup>+</sup> channel, ROMK1, in arachidonic acid-mediated inhibition <i>C. M. Macica, Y. Yang, K. Lerea, S. C. Hebert, and W. Wang</i>	F175
Hypoxia triggers release of an endogenous inhibitor of Na <sup>+</sup> -K <sup>+</sup> -ATPase from midbrain and adrenal <i>C. De Angelis and G. T. Haupert, Jr.</i>	F182
Effects of sulfate and chloride on three separate oxalate transporters reconstituted from rabbit renal cortex <i>L. P. Karniski</i>	F189
Characterization of the 5'-flanking region of OK cell type II Na-P <sub>i</sub> cotransporter gene <i>H. Hilfiker, C. M. Hartmann, G. Stange, and H. Murer</i>	F197
Disruption of guinea pig urinary bladder permeability barrier in noninfectious cystitis <i>J. P. Lavelle, G. Apodaca, S. A. Meyers, W. G. Ruiz, and M. L. Zeidel</i>	F205
Heat-shock protein 25 induction and redistribution during actin reorganization after renal ischemia <i>C. Aufricht, T. Ardito, G. Thulin, M. Kashgarian, N. J. Siegel, and S. K. Van Why</i>	F215

---

## MODELING IN PHYSIOLOGY

Numerical analysis of viscous flow through fibrous media: a model for glomerular basement membrane permeability <i>M. Palassini and A. Remuzzi</i>	F223
---	------

---

## SPECIAL COMMUNICATION

Detection of dopamine receptor D <sub>1A</sub> subtype-specific mRNA in rat kidney by in situ amplification <i>D. P. O'Connell, A. M. Aherne, E. Lane, R. A. Felder, and R. M. Carey</i>	F232
---	------

## No. 2. FEBRUARY 1998

Apical and basolateral uptake and intracellular fate of dopamine precursor L-dopa in LLC-PK <sub>1</sub> cells <i>P. Soares-Da-Silva, M. P. Serrão, and M. A. Vieira-Coelho</i>	F243
Serum-stimulated $\alpha_1$ type IV collagen gene transcription is mediated by TGF- $\beta$ and inhibited by estradiol <i>J. Lei, S. Silbiger, F. N. Ziyadeh, and J. Neugarten</i>	F252
Carbonic anhydrase II and IV mRNA in rabbit nephron segments: stimulation during metabolic acidosis <i>S. Tsuruoka, A. M. Kittelberger, and G. J. Schwartz</i>	F259
ATP releases HSP-72 from protein aggregates after renal ischemia <i>C. Aufricht, E. Lu, G. Thulin, M. Kashgarian, N. J. Siegel, and S. K. Van Why</i>	F268
Local upregulation of colonic angiotensin II receptors enhances potassium excretion in chronic renal failure <i>M. Hatch, R. W. Freel, and N. D. Vaziri</i>	F275
Renal Na-S <sub>i</sub> cotransporter NaSi-1 is inhibited by heavy metals <i>D. Markovich and D. Knight</i>	F283
Angiotensin IV AT <sub>4</sub> -receptor system in the rat kidney <i>R. K. Handa, L. T. Krebs, J. W. Harding, and S. E. Handa</i>	F290
Microtubule disruption inhibits AVT-stimulated Cl <sup>-</sup> secretion but not Na <sup>+</sup> reabsorption in A6 cells <i>R. G. Morris, A. Tousson, D. J. Benos, and J. A. Schafer</i>	F300

Graded ATP depletion can cause necrosis or apoptosis of cultured mouse proximal tubular cells <i>W. Lieberthal, S. A. Menza, and J. S. Levine</i>	F315
Glucagon and arginine vasopressin stimulate $Mg^{2+}$ uptake in mouse distal convoluted tubule cells <i>L.-J. Dai, B. Bapty, G. Ritchie, and G. A. Quamme</i>	F328
Aldosterone potentiates hormone-stimulated $Mg^{2+}$ uptake in distal convoluted tubule cells <i>L.-J. Dai, G. Ritchie, B. Bapty, and G. A. Quamme</i>	F336
Regulation of sorbitol content in cultured porcine urinary bladder epithelial cells <i>S. Mähler, E. Kinne-Saffran, H. Fujisue, R. K. H. Kinne, and W. Föllmann</i>	F342
In vitro demonstration of a mitogenic activity in renal tissue extracts during regenerative hyperplasia <i>A. Piron, I. Leonard, D. Nonclercq, G. Toubreau, P. Falmagne, J.-A. Heuson-Stiennon, and G. Laurent</i>	F348
Expression of $Cl^{-}/HCO_3^{-}$ exchanger in the basolateral membrane of mouse medullary thick ascending limb <i>A. M. Sun</i>	F358
Increased glomerular capillary pressure and size mediate glomerulosclerosis in SHR juxtamedullary cortex <i>B. M. Iversen, K. Amann, F. I. Kvam, X. Wang, and J. Ofstad</i>	F365
$Na-P_i$ cotransport sites in proximal tubule and collecting tubule of winter flounder ( <i>Pleuronectes americanus</i> ) <i>M. Elger, A. Werner, P. Herter, B. Kohl, R. K. H. Kinne, and H. Hentschel</i>	F374
Dynein and dynactin colocalize with AQP2 water channels in intracellular vesicles from kidney collecting duct <i>D. Marples, T. A. Schroer, N. Ahrens, A. Taylor, M. A. Knepper, and S. Nielsen</i>	F384
Localization of cytochrome P-450 4A isoforms along the rat nephron <i>O. Ito, M. Alonso-Galicia, K. A. Hopp, and R. J. Roman</i>	F395
The human plasminogen activator inhibitor type I gene promoter targets to kidney <i>M. P. Emert, C. M. Sorenson, D. P. Basile, J. G. Rogers, M. R. Hammerman, and J. J. Billadello</i>	F405

---

## MODELING IN PHYSIOLOGY

Outer medullary anatomy and the urine concentrating mechanism <i>X. Wang, S. R. Thomas, and A. S. Wexler</i>	F413
---	------

---

## RAPID COMMUNICATION

Cloning and functional expression of rNBC, an electrogenic $Na^{+}-HCO_3^{-}$ cotransporter from rat kidneys <i>M. F. Romero, P. Fong, U. V. Berger, M. A. Hediger, and W. F. Boron</i>	F425
--	------

## No. 3. MARCH 1998

### INVITED REVIEW

Integrating multiple paracrine regulators of renal microvascular dynamics <i>L. G. Navar</i>	F433
---	------

---

Model explaining the relation between distal nephron $Li^{+}$ reabsorption and urinary $Na^{+}$ excretion in rats <i>M. Shalmi, T. Jonassen, K. Thomsen, J. D. Kibble, P. Bie, and S. Christensen</i>	F445
Water and solute permeabilities of medullary thick ascending limb apical and basolateral membranes <i>R. Rivers, A. Blanchard, D. Eladari, F. Leviel, M. Paillard, R.-A. Podevin, and M. L. Zeidel</i>	F453

Potential autocrine and paracrine mechanisms of recovery from mechanical injury of renal tubular epithelial cells <i>R. J. Anderson and C. J. Ray</i>	F463
Arginase activity is modulated by IL-4 and HOArg in nephritic glomeruli and mesangial cells <i>S. N. Waddington, F. W. K. Tam, H. T. Cook, and V. Cattell</i>	F473
Regulation of cyclooxygenase expression in the kidney by dietary salt intake <i>T. Yang, I. Singh, H. Pham, D. Sun, A. Smart, J. B. Schnermann, and J. P. Briggs</i>	F481
The endogenous insulin-like growth factor system in radiocontrast nephropathy <i>Z. Symon, S. Fuchs, Y. Agmon, O. Weiss, I. Nephesh, R. Moshe, M. Brezis, A. Flyvbjerg, and I. Raz</i>	F490
ANG II and vasopressin stimulate calcium entry in dispersed smooth muscle cells of preglomerular arterioles <i>B. M. Iversen and W. J. Arendshorst</i>	F498
Recovery of cellular functions following oxidant injury <i>G. Nowak, M. D. Aleo, J. A. Morgan, and R. G. Schnellmann</i>	F509
Neuronal nitric oxide synthase modulates rat renal microvascular function <i>A. Ichihara, E. W. Inscho, J. D. Imig, and L. G. Navar</i>	F516
Dissociation of K channel density and ROMK mRNA in rat cortical collecting tubule during K adaptation <i>G. Frindt, H. Zhou, H. Sackin, and L. G. Palmer</i>	F525
B <sub>2</sub> kinin receptor upregulation by cAMP is associated with BK-induced PGE <sub>2</sub> production in rat mesangial cells <i>M. E. Marin Castaño, J. P. Schanstra, C. Hirtz, J. B. Pesquero, C. Pecher, J.-P. Girolami, and J.-L. Bascands</i>	F532
Soy protein modification of rat polycystic kidney disease <i>M. R. Ogborn, N. Bankovic-Calic, C. Shoesmith, R. Buist, and J. Peeling</i>	F541
Development of pH regulatory transport in glomerular mesangial cells <i>M. B. Ganz and B. A. Saksa</i>	F550
Extrarenal resistance to atrial natriuretic peptide in rats with experimental nephrotic syndrome <i>J.-P. Valentin, W.-Z. Ying, W. G. Couser, and M. H. Humphreys</i>	F556
Phosphoinositide signaling in rat inner medullary collecting duct <i>C.-L. Chou, S. I. Rapko, and M. A. Knepper</i>	F564
Nitroflurbiprofen, a new nonsteroidal anti-inflammatory, ameliorates structural injury in the remnant kidney <i>C. K. Fujihara, D. M. A. C. Malheiros, J. L. Donato, A. Poli, G. de Nucci, and R. Zatz</i>	F573
Differential effects of ACE and AT <sub>1</sub> receptor inhibition on chemoattractant and adhesion molecule synthesis <i>J. J. Morrissey and S. Klahr</i>	F580
Identification of gene family of caspases in rat kidney and altered expression in ischemia-reperfusion injury <i>G. P. Kaushal, A. B. Singh, and S. V. Shah</i>	F587
Regulation of AE2 mRNA expression in the cortical collecting duct by acid/base balance <i>G. Fejes-Tóth, E. Rusvai, E. S. Cleaveland, and A. Náray-Fejes-Tóth</i>	F596
Isolation and characterization of kidney-specific ClC-K1 chloride channel gene promoter <i>S. Uchida, T. Rai, H. Yatsushige, Y. Matsumura, M. Kawasaki, S. Sasaki, and F. Marumo</i>	F602
Localization of the extracellular Ca <sup>2+</sup> /polyvalent cation-sensing protein in rat kidney <i>D. Riccardi, A. E. Hall, N. Chattopadhyay, J. Z. Xu, E. M. Brown, and S. C. Hebert</i>	F611
Documentation of angiotensin II receptors in glomerular epithelial cells <i>M. Sharma, R. Sharma, A. S. Greene, E. T. McCarthy, and V. J. Savin</i>	F623

# RAPID COMMUNICATION

Axial heterogeneity of sodium-bicarbonate cotransporter expression in the rabbit proximal tubule

*N. Abuladze, I. Lee, D. Newman, J. Hwang, A. Pushkin, and I. Kurtz*

F628

# ANNOUNCEMENT

F634

## No. 4. APRIL 1998

Dietary salt modulates renal production of transforming growth factor- $\beta$  in rats  
*W.-Z. Ying and P. W. Sanders*

F635

Downregulation of nitric oxide synthase in chronic renal insufficiency: role of excess PTH

*N. D. Vaziri, Z. Ni, X. Q. Wang, F. Oveisi, and X. J. Zhou*

F642

Effect of growth hormone on renal and systemic acid-base homeostasis in humans  
*A. Sicuro, K. Mahlbacher, H. N. Hulter, and R. Krapf*

F650

Arachidonic acid potentiates the feedback response of mesangial BK<sub>Ca</sub> channels to angiotensin II

*J. D. Stockand, M. Silverman, D. Hall, T. Derr, B. Kubacak, and S. C. Sansom*

F658

K depletion stimulates in vivo HCO<sub>3</sub> reabsorption in surviving rat distal tubules  
*D. Z. Levine, M. Iacovitti, S. Buckman, B. Luck, M. T. Hincke, K. D. Burns, and J. N. Fryer*

F665

IGF-I and insulin amplify IL-1 $\beta$ -induced nitric oxide and prostaglandin biosynthesis  
*Z. Guan, S. Y. Buckman, L. D. Baier, and A. R. Morrison*

F673

Blood pressure variability and urine flow in the conscious dog

*B. Nafz, H. Ehmke, C. D. Wagner, H. R. Kirchheim, and P. B. Persson*

F680

K<sup>+</sup> depletion increases HCO<sub>3</sub> reabsorption in OMCD by activation of colonic H<sup>+</sup>-K<sup>+</sup>-ATPase

*S. Nakamura, Z. Wang, J. H. Galla, and M. Soleimani*

F687

A decrease in renal medullary tonicity stimulates anion transport in Henle's loop of rat kidneys

*G. Capasso, C. Saviano, F. Ciani, F. Lang, F. Russo, and N. De Santo*

F693

Anomalous decrease in dextran sulfate clearance in the diabetic rat kidney  
*M. J. Burne, Y. Adal, N. Cohen, S. Panagiotopoulos, G. Jerums, and W. D. Comper*

F700

Stimulation of renin secretion by NO donors is related to the cAMP pathway  
*A. Kurtz, K.-H. Götz, M. Hamann, M. Kieninger, and C. Wagner*

F709

Direct assessment of renal microvascular responses to P2-purinoreceptor agonists  
*E. W. Inscho, A. K. Cook, V. Mui, and J. Miller*

F718

A role for PKC $\epsilon$  and MAP kinase in bradykinin-induced arachidonic acid release in rabbit CCD cells

*M. A. Lal, P. R. Proulx, and R. L. Hébert*

F728

Adenosine-stimulated Ca<sup>2+</sup> reabsorption is mediated by apical A<sub>1</sub> receptors in rabbit cortical collecting system

*J. G. J. Hoenderop, A. Hartog, P. H. G. M. Willems, and R. J. M. Bindels*

F736

Effect of modifying O<sub>2</sub> diffusivity and delivery on glomerular and tubular function in hypoxic perfused kidney

*A. D. Baines, G. Adamson, P. Wojciechowski, D. Pliura, P. Ho, and R. Kluger*

F744

Cis- and trans-acting factors regulating transcription of the BGT1 gene in response to hypertonicity

*H. Miyakawa, S. K. Woo, C.-P. Chen, S. C. Dahl, J. S. Handler, and H. M. Kwon*

F753

Effects of glycine betaine and glycerophosphocholine on thermal stability of ribonuclease  
*M. B. Burg and E. M. Peters*

F762



Regulation of intrarenal blood flow in experimental heart failure: role of endothelin and nitric oxide <i>Z. Abassi, K. Gurbanov, I. Rubinstein, O. S. Better, A. Hoffman, and J. Winaver</i>	F766
Isolation and characterization of the lower portion of the thin limb of Henle in primary culture <i>C. Grupp, M. Begher, D. Cohen, M. Raghunath, H.-E. Franz, and G. A. Müller</i>	F775
Copper metabolism in the kidney of rats administered copper and copper-metallothionein <i>M. Kurasaki, M. Okabe, S. Saito, and M. Suzuki-Kurasaki</i>	F783
Role of NO in cyclosporin nephrotoxicity: effects of chronic NO inhibition and NO synthases gene expression <i>N. A. Bobadilla, G. Gamba, E. Tapia, R. García-Torres, A. Bolio, P. López-Zetina, and J. Herrera-Acosta</i>	F791

---

#### RAPID COMMUNICATION

Localization of P2X <sub>1</sub> purinoceptors by autoradiography and immunohistochemistry in rat kidneys <i>C. M. Chan, R. J. Unwin, M. Bardini, I. B. Oglesby, A. P. D. W. Ford, A. Townsend-Nicholson, and G. Burnstock</i>	F799
---	------

No. 5. MAY 1998

---

#### AJP CENTENNIAL

Table of contents 1898	
One hundred years of journal publication <i>T. A. Appel</i>	F805
Editorial <i>L. R. Johnson and B. B. Rauner</i>	F815
Renal potassium transport: mechanisms and regulation <i>G. Giebisch</i>	F817
Dose-dependent effects of CRF-like diuretic peptide on transcellular and paracellular transport pathways <i>T. M. Clark, T. K. Hayes, and K. W. Beyenbach</i>	F834
A mathematical model of the inner medullary collecting duct of the rat: pathways for Na and K transport <i>A. M. Weinstein</i>	F841
A mathematical model of the inner medullary collecting duct of the rat: acid/base transport <i>A. M. Weinstein</i>	F856
Volume repletion after exercise-induced volume depletion in humans: replacement of water and sodium losses <i>S. M. Shirreffs and R. J. Maughan</i>	F868
Renoprotective effects of nitric oxide in angiotensin II-induced hypertension in the rat <i>S. Y. Chin, C.-T. Wang, D. S. A. Majid, and L. G. Navar</i>	F876
Maturation of rabbit proximal straight tubule chloride/base exchange <i>M. Shah, R. Quigley, and M. Baum</i>	F883
Assessment of the charge selectivity of glomerular basement membrane using Ficoll sulfate <i>G. R. Bolton, W. M. Deen, and B. S. Daniels</i>	F889
Angiotensin (AT <sub>1A</sub> ) receptor-mediated increases in transcellular sodium transport in proximal tubule cells <i>T. J. Thekkumkara, R. Cookson, and S. L. Linas</i>	F897

Regional time-dependent changes in vasopressin V <sub>2</sub> receptor expression in the rat kidney during water restriction <i>F. Park, G. Koike, and A. W. Cowley, Jr.</i>	F906
Dietary sodium affects systemic and renal hemodynamic response to NO inhibition in healthy humans <i>J. N. Bech, C. B. Nielsen, P. Ivarsen, K. T. Jensen, and E. B. Pedersen</i>	F914
Heterogeneity of glutathione synthesis and secretion in the proximal tubule of the rabbit <i>L. D. Parks, R. K. Zalups, and D. W. Barfuss</i>	F924
Developmental expression of human angiotensinogen in transgenic mice <i>G. Yang and C. D. Sigmund</i>	F932
Effects of acute AT <sub>1</sub> receptor blockade by candesartan on arterial pressure and renal function in rats <i>L. Cervenka, C.-T. Wang, and L. G. Navar</i>	F940
Nitric oxide increases the activity of the apical 70-pS K <sup>+</sup> channel in TAL of rat kidney <i>M. Lu, X. Wang, and W. Wang</i>	F946
Single cell RT-PCR analysis of ClC-2 mRNA expression in ureteric bud tip <i>S. Huber, B. Schröppel, M. Kretzler, D. Schlöndorff, and M. Horster</i>	F951
Increased calcium oxalate monohydrate crystal binding to injured renal tubular epithelial cells in culture <i>C. F. Verkoelen, B. van der Boom, A. B. Houtsmuller, F. H. Schröder, and J. C. Romijn</i>	F958
Regulation of the polymeric immunoglobulin receptor by water intake and vasopressin in the rat kidney <i>J. C. Rice, J. S. Spence, J. Megyesi, R. L. Safirstein, and R. M. Goldblum</i>	F966
Vasopressin-elicited water and urea permeabilities are altered in IMCD in hypercalcemic rats <i>J. M. Sands, F. X. Flores, A. Kato, M. A. Baum, E. M. Brown, D. T. Ward, S. C. Hebert, and H. W. Harris</i>	F978
Monoclonal antibody P-31 recognizes a novel intermediate filament-associated protein (p250) in rat podocytes <i>H. Kurihara, N. Sunagawa, T. Kobayashi, K. Kimura, N. Takasu, and T. Shike</i>	F986

## No. 6. JUNE 1998

---

### INVITED REVIEW

Gene targeting in physiological investigations: studies of the renin-angiotensin system <i>T. M. Coffman</i>	F999
P2 purinoceptor localization along rat nephron and evidence suggesting existence of subtypes P2Y <sub>1</sub> and P2Y <sub>2</sub> <i>S. H. Cha, T. Sekine, and H. Endou</i>	F1006
Effect of metabolic acidosis on NaCl transport in the proximal tubule <i>T. Wang, A. L. Egbert, Jr., P. S. Aronson, and G. Giebisch</i>	F1015
Ornithine decarboxylase along the mouse and rat nephron <i>O. Levillain and A. Hus-Citharel</i>	F1020
Role of heat stress response in the tolerance of immature renal tubules to anoxia <i>K. M. Gaudio, G. Thulin, A. Mann, M. Kashgarian, and N. J. Siegel</i>	F1029
Physiological disposal of the potential alkali load in diet of the rat: steps to achieve acid-base balance <i>S.-H. Lin, S. Cheema-Dhadli, S. Chayarak, C.-B. Chen, M. Gowrishankar, and M. L. Halperin</i>	F1037
Elevated glucose increases mesangial cell sensitivity to insulin-like growth factor I <i>M. J. Horney, D. W. Shirley, D. T. Kurtz, and S. A. Rosenzweig</i>	F1045

Characterization of the Hsp110/SSE gene family response to hyperosmolality and other stresses <i>B. C. Santos, A. Chevaile, R. Kojima, and S. R. Gullans</i>	F1054
Nephrogenesis and angiotensin II receptor subtypes gene expression in the fetal lamb <i>V. Gimonet, L. Bussieres, A. A. Medjebeur, B. Gasser, B. Lelongt, and K. Laborde</i>	F1062
Functional and molecular evidence for P2X receptors in LLC-PK <sub>1</sub> cells <i>D. M. Filipovic, O. A. Adebajo, M. Zaidi, and W. B. Reeves</i>	F1070
Renal microvascular actions of calcitonin gene-related peptide <i>M. Reslerova and R. Loutzenhiser</i>	F1078
Regulation of B-type intercalated cell apical anion exchange activity by CO <sub>2</sub> /HCO <sub>3</sub> <sup>-</sup> <i>A. E. Milton and I. D. Weiner</i>	F1086
Human proximal tubular epithelial cells express somatostatin: regulation by growth factors and cAMP <i>M. A. Turman and C. A. Apple</i>	F1095
Decreased endothelial nitric oxide synthase in gastric mucosa of rats with chronic renal failure <i>M. Tomikawa, M. Ohta, N. D. Vaziri, J. D. Kaunitz, R. Itani, Z. Ni, and A. S. Tarnawski</i>	F1102
Potassium permeability in the absence of fluid reabsorption in the proximal tubule of the anesthetized rat <i>R. W. Wilson, M. Wareing, J. Kibble, and R. Green</i>	F1109
Estradiol reverses TGF-β1-stimulated type IV collagen gene transcription in murine mesangial cells <i>S. Silbiger, J. Lei, F. N. Ziyadeh, and J. Neugarten</i>	F1113
Cloning, renal distribution, and regulation of the rat Na <sup>+</sup> -HCO <sub>3</sub> <sup>-</sup> cotransporter <i>C. E. Burnham, M. Flagella, Z. Wang, H. Amlal, G. E. Shull, and M. Soleimani</i>	F1119
Identification of the synthetic surfactant nonylphenol ethoxylate: a P-glycoprotein substrate in human urine <i>J. H. M. Charuk, A. A. Grey, and R. A. F. Reithmeier</i>	F1127
NCC27, a homolog of intracellular Cl <sup>-</sup> channel p64, is expressed in brush border of renal proximal tubule <i>B. M. Tulk and J. C. Edwards</i>	F1140
A serum-free in vitro model of renal microvessel development <i>L. M. Antes, M. M. Villar, S. Decker, R. F. Nicosia, and D. A. Kujubu</i>	F1150
Escape from vasopressin-induced antidiuresis: role of vasopressin resistance of the collecting duct <i>C. A. Ecelbarger, C.-L. Chou, A. J. Lee, S. R. DiGiovanni, J. G. Verbalis, and M. A. Knepper</i>	F1161

---

## RAPID COMMUNICATION

A combination of NaCl and urea enhances survival of IMCD cells to hyperosmolality <i>B. C. Santos, A. Chevaile, M.-J. Hébert, J. Zagajeski, and S. R. Gullans</i>	F1167
--	-------

---

The Journal no longer publishes print subject and author indexes. Full searchability is available in the online version (<http://www.ajprenal.org>).



